ELSEVIER

Brain Research 939 (2002) 100

BRAIN RESEARCH

www.elsevier.com/locate/bres

# Author Index

Abe, Y., see Nakahara, K. (939) 19

Barea-Rodriguez, E.J., see Villarreal, J.S. (939) 43
Berndt, J., see Villarreal, J.S. (939) 43

Carignani, C., Roncarati, R., Rimini, R. and Terstappen, G.C.
Pharmacological and molecular characterisation of SK3 channels in the TE671 human medulloblastoma cell line (939) 11
Chen, L.-Y., see He, L.-M. (939) 65
Chotard, C., see Trottier, S. (939) 52

Dai, J., see Ichikawa, J. (939) 34
Deckel, A.W., Tang, V., Nuttal, D., Gary, K. and Elder, R.
Altered neuronal nitric oxide synthase expression contributes to disease progression in Huntington's disease transgenic mice (939) 76
Dehpour, A.R., see Homayoun, H. (939) 1

Elder, R., see Deckel, A.W. (939) 76

Fisser, B., see Trottier, S. (939) 52

Gary, K., see Deckel, A.W. (939) 76
Giuditta, A., see Grassi Zucconi, G. (939) 87
Gonzalez-Lima, F., see Villarreal, J.S. (939) 43
Grassi Zucconi, G., Semprevivo, M., Laurenzi, M.A. and Giuditta, A.
Sleep impairment by diethyldithiocarbamate in rat. Protective effects of pre-conditioning and antioxidants (939) 87

He, L.-M., Chen, L.-Y., Lou, X.-L., Qu, A.-L., Zhou, Z. and Xu, T.
Evaluation of β-amyloid peptide 25–35 on calcium homeostasis in cultured rat dorsal root ganglion neurons (939) 65

Homayoun, H., Khavandgar, S. and Dehpour, A.R.
Anticonvulsant effects of cyclosporin A on pentylenetetrazole-induced seizure and kindling: modulation by nitricoxidergic system (939) 1

Ichikawa, J., Dai, J. and Meltzer, H.Y.
5-$HT_{1A}$ and 5-$HT_{2A}$ receptors minimally contribute to clozapine-induced acetylcholine release in rat medial prefrontal cortex (939) 34

Khavandgar, S., see Homayoun, H. (939) 1

Laurenzi, M.A., see Grassi Zucconi, G. (939) 87
Lou, X.-L., see He, L.-M. (939) 65

Meltzer, H.Y., see Ichikawa, J. (939) 34
Murakami, N., see Nakahara, K. (939) 19
Murakami, T., see Nakahara, K. (939) 19
Murakami, Y., see Okada, S. (939) 26

Nakahara, K., Abe, Y., Murakami, T., Shiota, K. and Murakami, N.
Pituitary adenylate cyclase-activating polypeptide (PACAP) is involved in melatonin release via the specific receptor PACAP-r1, but not in the circadian oscillator, in chick pineal cells (939) 19
Nuttal, D., see Deckel, A.W. (939) 76

Okada, S., Murakami, Y. and Yokotani, K.
Centrally applied nitric oxide donor elevates plasma corticosterone by activation of the hypothalamic noradrenergic neurons in rats (939) 26

Parlow, A.F., see Xu, R. (939) 95

Qu, A.-L., see He, L.-M. (939) 65

Rimini, R., see Carignani, C. (939) 11
Roncarati, R., see Carignani, C. (939) 11

Schwartz, J.-C., see Trottier, S. (939) 52
Semprevivo, M., see Grassi Zucconi, G. (939) 87
Shiota, K., see Nakahara, K. (939) 19
Swaab, D.F., see Trottier, S. (939) 52

Tang, V., see Deckel, A.W. (939) 76
Terstappen, G.C., see Carignani, C. (939) 11
Traiffort, E., see Trottier, S. (939) 52
Trottier, S., Chotard, C., Traiffort, E., Unmehopa, U., Fisser, B., Swaab, D.F. and Schwartz, J.-C.
Co-localization of histamine with GABA but not with galanin in the human tuberomamillary nucleus (939) 52

Unmehopa, U., see Trottier, S. (939) 52

Villarreal, J.S., Gonzalez-Lima, F., Berndt, J. and Barea-Rodriguez, E.J.
Water maze training in aged rats: effects on brain metabolic capacity and behavior (939) 43

Wang, Y., see Xu, R. (939) 95

Xu, R., Parlow, A.F. and Wang, Y.
The effects of dopamine and D2 receptor antagonists on pituitary hormone secretion are intact in mice lacking dopamine D2L receptor (939) 95
Xu, T., see He, L.-M. (939) 65

Yokotani, K., see Okada, S. (939) 26

Zhou, Z., see He, L.-M. (939) 65

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)02782-8

ELSEVIER

Brain Research 939 (2002) 100

BRAIN RESEARCH

www.elsevier.com/locate/bres

# Author Index

Abe, Y., see Nakahara, K. (939) 19

Barea-Rodriguez, E.J., see Villarreal, J.S. (939) 43
Berndt, J., see Villarreal, J.S. (939) 43

Carignani, C., Roncarati, R., Rimini, R. and Terstappen, G.C.
Pharmacological and molecular characterisation of SK3 channels in the TE671 human medulloblastoma cell line (939) 11
Chen, L.-Y., see He, L.-M. (939) 65
Chotard, C., see Trottier, S. (939) 52

Dai, J., see Ichikawa, J. (939) 34
Deckel, A.W., Tang, V., Nuttal, D., Gary, K. and Elder, R.
Altered neuronal nitric oxide synthase expression contributes to disease progression in Huntington's disease transgenic mice (939) 76
Dehpour, A.R., see Homayoun, H. (939) 1

Elder, R., see Deckel, A.W. (939) 76

Fisser, B., see Trottier, S. (939) 52

Gary, K., see Deckel, A.W. (939) 76
Giuditta, A., see Grassi Zucconi, G. (939) 87
Gonzalez-Lima, F., see Villarreal, J.S. (939) 43
Grassi Zucconi, G., Semprevivo, M., Laurenzi, M.A. and Giuditta, A.
Sleep impairment by diethyldithiocarbamate in rat. Protective effects of pre-conditioning and antioxidants (939) 87

He, L.-M., Chen, L.-Y., Lou, X.-L., Qu, A.-L., Zhou, Z. and Xu, T.
Evaluation of β-amyloid peptide 25–35 on calcium homeostasis in cultured rat dorsal root ganglion neurons (939) 65

Homayoun, H., Khavandgar, S. and Dehpour, A.R.
Anticonvulsant effects of cyclosporin A on pentylenetetrazole-induced seizure and kindling: modulation by nitricoxidergic system (939) 1

Ichikawa, J., Dai, J. and Meltzer, H.Y.
5-$HT_{1A}$ and 5-$HT_{2A}$ receptors minimally contribute to clozapine-induced acetylcholine release in rat medial prefrontal cortex (939) 34

Khavandgar, S., see Homayoun, H. (939) 1

Laurenzi, M.A., see Grassi Zucconi, G. (939) 87
Lou, X.-L., see He, L.-M. (939) 65

Meltzer, H.Y., see Ichikawa, J. (939) 34
Murakami, N., see Nakahara, K. (939) 19
Murakami, T., see Nakahara, K. (939) 19
Murakami, Y., see Okada, S. (939) 26

Nakahara, K., Abe, Y., Murakami, T., Shiota, K. and Murakami, N.
Pituitary adenylate cyclase-activating polypeptide (PACAP) is involved in melatonin release via the specific receptor PACAP-r1, but not in the circadian oscillator, in chick pineal cells (939) 19
Nuttal, D., see Deckel, A.W. (939) 76

Okada, S., Murakami, Y. and Yokotani, K.
Centrally applied nitric oxide donor elevates plasma corticosterone by activation of the hypothalamic noradrenergic neurons in rats (939) 26

Parlow, A.F., see Xu, R. (939) 95

Qu, A.-L., see He, L.-M. (939) 65

Rimini, R., see Carignani, C. (939) 11
Roncarati, R., see Carignani, C. (939) 11

Schwartz, J.-C., see Trottier, S. (939) 52
Semprevivo, M., see Grassi Zucconi, G. (939) 87
Shiota, K., see Nakahara, K. (939) 19
Swaab, D.F., see Trottier, S. (939) 52

Tang, V., see Deckel, A.W. (939) 76
Terstappen, G.C., see Carignani, C. (939) 11
Traiffort, E., see Trottier, S. (939) 52
Trottier, S., Chotard, C., Traiffort, E., Unmehopa, U., Fisser, B., Swaab, D.F. and Schwartz, J.-C.
Co-localization of histamine with GABA but not with galanin in the human tuberomamillary nucleus (939) 52

Unmehopa, U., see Trottier, S. (939) 52

Villarreal, J.S., Gonzalez-Lima, F., Berndt, J. and Barea-Rodriguez, E.J.
Water maze training in aged rats: effects on brain metabolic capacity and behavior (939) 43

Wang, Y., see Xu, R. (939) 95

Xu, R., Parlow, A.F. and Wang, Y.
The effects of dopamine and D2 receptor antagonists on pituitary hormone secretion are intact in mice lacking dopamine D2L receptor (939) 95
Xu, T., see He, L.-M. (939) 65

Yokotani, K., see Okada, S. (939) 26

Zhou, Z., see He, L.-M. (939) 65

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)02782-8